

ISUZU
TRUCK

CANADA 🇨🇦

N-SERIES

**FOR ADDITIONAL
INFORMATION ON
ISUZU'S FULL LINE OF
LOW CAB FORWARD
TRUCKS, PLEASE VISIT**

**WWW.ISUZUTRUCK.CA
OR CALL (866) 441-9638**



All photographs, illustrations, equipment and technical data in this brochure are based on the latest information available at the time of publication. Isuzu Commercial Truck of Canada, Inc. reserves the right to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models, and to discontinue models or equipment. Isuzu vehicles are assembled from component parts manufactured by Isuzu Motors Limited, its affiliated companies and by independent suppliers who manufacture such components to Isuzu's exacting standards for quality, performance and safety. Some vehicles are shown with optional equipment. Some equipment is dealer installed. Visit your authorized Isuzu dealer for warranty and other details. NPR-HD, NPR-XD, NRR and NQR are trademarks of Isuzu Motors Limited. Truck bodies represented herein are products of Supreme Corporation, Morgan Corporation, Knapheide Manufacturing Company and Thermo King. Android Auto is a trademark of Google LLC. Apple Carplay is a registered trademark of Apple Inc. Mobileye is a trademark of Mobileye Vision Technologies LTD. Bluetooth is a registered trademark of Bluetooth SIG, Inc. SiriusXM is a trademark of Sirius XM Radio Inc. HD Radio is a registered trademark of iBiquity. Facebook is a registered trademark of Facebook, Inc. Instagram is a registered trademark of Instagram, LLC. Twitter is a registered trademark of Twitter, Inc. YouTube is a registered trademark of Google Inc. Neither Isuzu Commercial Truck of Canada, Inc. nor Isuzu Motors Limited are sponsored by or affiliated with these platforms. Copyright © 2021 Isuzu Commercial Truck of Canada, Inc.

ISUZU
TRUCK

CANADA 🇨🇦

DIESEL



MORE THAN A CHASSIS

Harmony is what we strive for with our customers. The medium-duty truck market offers customers a number of options to choose from, but when they choose Isuzu, it means something more to us. We are *more than a chassis*, and we aim to show that to each of our customers.

Sure, Isuzu's legendary reliability is a testament to how well our trucks are built. They are put to the test every day, from the harsh environments of construction to the stop-n-go of home delivery. At every turn, we are there to support Isuzu truck owners with robust warranties, quality parts, and excellent maintenance at more than 35 authorized Isuzu dealerships and service facilities.



Isuzu has been the best-selling low cab forward truck in the combined U.S. and Canadian market every year since 1986.

That wouldn't be possible if our customers bought one Isuzu truck and then switched to another brand. But they don't--they come back, year after year, truck after truck. Years of performance and millions of kilometers of reliability have made Isuzu a leader in the medium-duty segment.

We are *more than a chassis* to owner-operators and fleet managers that can attest to the great performance of Isuzu trucks and to our brand support. There isn't just one reason to choose Isuzu but many compelling reasons. Owning an Isuzu truck is just the beginning of a relationship -- we aim to prove that Isuzu trucks are *more than a chassis*.

**THE LEADER IN LOW CAB
FORWARD TRUCKS**




LESS IS MORE. MORE IS BEST.

The Isuzu low cab forward (LCF) design is known for providing outstanding visibility and maneuverability. These two advantages alone make Isuzu trucks easier and safer to drive. Our multiple wheelbases give N-Series customers a choice of body sizes up to 24 feet in length -- giving you **more choices, more driver benefits, and less hassle** when navigating the road ahead. *Less is more and more is best.*

EFFICIENT OVERALL LENGTH

Conventional cabs are longer in order to accommodate a forward-mounted engine. In contrast, Isuzu LCF cabs are positioned above the engine with **less forward mass**. This efficient design gives LCF owners **more Cab to Axle (CA) space** compared to conventional cabs with equivalent wheelbases, allowing:


- Up to 4-ft. longer bodies to accommodate **more cargo**
- Body sizes from 10 to 24 ft. in length. This versatility gives you **more choices** when upfitting your next N-Series truck
- **More maneuverability.** When equal body sizes are mounted on a conventional cab truck and a low cab forward truck, the low cab forward truck has a shorter overall vehicle length providing **more maneuverability** with equal cargo loads.



INCREASED FORWARD VISIBILITY

Less forward mass gives the driver and passengers **more visibility** compared to traditional cabs. This not only helps to make driving an Isuzu truck easier, but also helps to enhance safety for the driver. Urban areas are known for their tight quarters, and being able to see obstacles and pedestrians more clearly gives the driver an advantage when navigating in the city.

The Isuzu N-Series provides 16 ft. more ground view than a conventional cab for better forward visibility. The N-Series cab design provides a clear view of the ground at just about 8 ft. ahead of the cab. Conventional cabs' ground view begins around 24 ft.




3-POINTERS ARE GOOD FOR BASKETBALL, NOT SO MUCH IN TRUCKING

Fewer three-point turns save time, and time is money. **More time, more money.** Isuzu trucks have class-leading turning radiuses which reduce the amount of three-point turns on any given route. The turning radius also helps the driver when parking and backing into tight spaces with exceptional maneuverability.


The Isuzu N-Series best-in-class turning radius is achieved with the LCF cab design and the inner wheel cut (49.5° - 16" tires, 46.5° - 19.5" tires).

- Isuzu N-Series Turning Radius
- Turning Radius of Conventional Cab



DIMENSIONS & CAPACITIES

2022 ISUZU N-SERIES DIESEL





STANDARD CAB

Wheelbase (in.)	Cab to Axle (in.)	Cab to End of Frame (in.)	Back of Cab (in.)	Overall Length (in.)	Body Length (ft.)
109.0	86.5	129.6	7.7	200.5	10-12
132.5	110.0	153.1	7.7	224.0	12-14
150.0	127.5	170.6	7.7	241.5	16-18
176.0	153.5	196.6	7.7	267.5	18-20
200.0 [†]	177.5	220.6	7.7	291.5	22
212.0 ^{††}	189.5	232.6	7.7	303.5	24

CREW CAB

150.0	88.5	131.6	5.3	241.5	12
176.0	114.5	157.6	5.3	267.5	16

[†]NQR, NRR only ^{††}NRR only



STANDARD CAB

Wheelbase (in.)	NPR-HD		NPR-XD		NQR		NRR	
	Curb Weight (lbs.)	Body Payload (lbs.)	Curb Weight (lbs.)	Body Payload (lbs.)	Curb Weight (lbs.)	Body Payload (lbs.)	Curb Weight (lbs.)	Body Payload (lbs.)
109.0	6,044	8,456	6,474	9,526	6,569	11,381	6,706	12,794
132.5	6,133	8,367	6,561	9,439	6,662	11,288	6,801	12,699
150.0	6,175	8,325	6,603	9,397	6,708	11,242	6,845	12,655
176.0	6,230	8,270	6,659	9,341	6,766	11,184	6,904	12,596
200.0	N/A	N/A	N/A	N/A	7,091	10,859	7,266	12,234
212.0	N/A	N/A	N/A	N/A	N/A	N/A	7,286	12,214

CREW CAB

150.0	6,748	7,752	7,175	8,825	7,281	10,669	7,330	12,170
176.0	6,814	7,686	7,240	8,760	7,350	10,600	7,399	12,101




20,500 lbs. GCWR
TRUCK WEIGHT & TRAILER WEIGHT

NPR-HD

 | 14,500 LBS. GVWR
CLASS 4

30-GAL IN-FRAME
FUEL TANK




6-SPEED AUTOMATIC



7,686
to
8,456
LBS
BODY PAYLOAD



5.2L I4 TURBOCHARGED
215 HP @ 2,500 RPM
452 LB-FT @ 1,850 RPM




215/85R16E (10-pr)

VACUUM/HYDRAULIC
W/4-CHANNEL ABS

Front Disc
11.5-in.

Rear Drum
12.6-in.



STANDARD CAB / **CREW CAB**
SEATING FOR UP TO 3 / SEATING FOR UP TO 7




22,000 lbs. GCWR
TRUCK WEIGHT & TRAILER WEIGHT


NPR-XD

 | 16,000 LBS. GVWR
CLASS 4


30-GAL IN-FRAME
FUEL TANK



6-SPEED AUTOMATIC



8,760
to
9,526
LBS
BODY PAYLOAD



225/70R19.5F (12-pr)




5.2L I4 TURBOCHARGED
215 HP @ 2,500 RPM
452 LB-FT @ 1,850 RPM

VACUUM/HYDRAULIC
W/4-CHANNEL ABS

Front Disc
14.3-in.

Rear Drum
12.6-in.



STANDARD CAB / **CREW CAB**
SEATING FOR UP TO 3 / SEATING FOR UP TO 7




23,950 lbs. GCWR
TRUCK WEIGHT & TRAILER WEIGHT


NQR | 17,950 LBS. GVWR
CLASS 5




30-GAL IN-FRAME
FUEL TANK



6-SPEED AUTOMATIC



10,600
to
11,381
LBS
BODY PAYLOAD



225/70R19.5F (12-pr)




5.2L I4 TURBOCHARGED
215 HP @ 2,500 RPM
452 LB-FT @ 1,850 RPM

VACUUM/HYDRAULIC
W/4-CHANNEL ABS

Front Disc
14.3-in.

Rear Drum
12.6-in.



STANDARD CAB / **CREW CAB**
SEATING FOR UP TO 3 / SEATING FOR UP TO 7




25,500 lbs. GCWR
TRUCK WEIGHT & TRAILER WEIGHT


NRR | 19,500 LBS. GVWR
CLASS 5




30-GAL IN-FRAME
FUEL TANK



6-SPEED AUTOMATIC



12,101
to
12,794
LBS
BODY PAYLOAD



225/70R19.5F (12-pr)




5.2L I4 TURBOCHARGED
215 HP @ 2,500 RPM
452 LB-FT @ 1,850 RPM

VACUUM/HYDRAULIC
W/4-CHANNEL ABS

Front Disc
14.3-in.

Rear Drum
14.6-in.



STANDARD CAB / **CREW CAB**
SEATING FOR UP TO 3 / SEATING FOR UP TO 7

MORE THAN A CHASSIS



ACCESSORIES



KEYLESS ENTRY

Conveniently locks and unlocks all cab doors at the push of a button. Two transmitters included.



TOUCHSCREEN AUDIO SYSTEM

The Alpine iLX-207 is equipped with a convenient touchscreen display and provides 200 watts of sound. This versatile system works with Apple CarPlay® and Android Auto™ which give you access to a number of smartphone apps including navigation. It is also equipped with built-in Bluetooth®, SiriusXM connectivity (antennae and subscription required), an HDMI input, an HD Radio™ tuner and more. A USB port and AUX input are also included.

A backup camera is also available with the system. When ordering the audio system, select this upgrade to enhance your driving experience and safety. The camera is reverse-linked and projects an image with guidelines on the display.



POWER / HEATED MIRRORS

Heated flat and convex mirrors with or without dual remote controls. Heated flat and convex mirrors prevent fogging and ice collection with a quick push of a cab switch. For added convenience, available remote controls allow the driver to quickly adjust the angle of the flat or convex mirror.



AIR DEFLECTOR

To help maximize fuel efficiency, the custom-designed Isuzu air deflector directs air over the top and around the sides of body to reduce drag.



VERTICAL EXHAUST

For custom body mounting and special equipment, exhaust is relocated from the frame rail to directly behind the cab. Available on N-Series Standard Cab only.



MOBILEYE®

This passive safety system provides alerts and warnings for enhanced safety. The system incorporates Forward Collision Warning, Pedestrian Collision Warning, Lane Departure Warning and Headway Monitoring and Warning.



SEAT COVERS

Designed and tailored for a custom fit, these seat covers help reduce seat wear and tear to protect your investment while enhancing the look and feel of the cabin. Available on standard and crew cab models.



SUSPENSION SEAT

Designed to increase driver comfort and help reduce fatigue, the suspension seat dampens the impact of rough road surfaces and can be adjusted for personalized settings. Not available on crew cab.



HIGH-VISIBILITY RED SEATBELTS

Red seatbelts provide quick visual verification that seat belts are being worn to conform with safety regulations (driver and passenger seats only).



SIDE-MOUNTED FUEL TANK

Doubles fuel capacity to reduce multiple fuel stops. Works in conjunction with standard 30-gallon in-rail tank. Available on Standard Cab 150 and 176-in. wheelbases and Crew Cab 176-in. wheelbase.



BACK-UP ALARM

Alarm sounds when the vehicle is placed in reverse. Audible warning alerts any nearby people that the vehicle is backing up.



CHROME GRILLE

Chrome-accented grille enhances styling.



LOCKABLE DEF CAP

Helps prevent DEF theft and prevent contamination from filling the tank with other liquids that can cause powertrain damage. Owners of multiple trucks can have them single keyed. Includes two keys.

Other Optional Equipment:

- Spare Keys (2 additional keys)
- PTO Switch
- 102-in. Side Mirror Bracket
- Front Fascia Protector
- Emergency Engine Shutdown System
- Engine Idle Shutdown (3 or 5 minutes)
- Speed Limiting to 58, 65, 68 or 70 mph
- CAN Interface Converter (SAE J1939), provides read-only CAN data for compatible telematics systems)



RELIABLE. PREDICTABLE. TRUSTWORTHY.

STANDARD WARRANTY

	Warranty Limitations (Time or Kilometers, Whichever Comes First)	
	Time in Years	Vehicle Kilometers
Basic	3	Unlimited
Engine	3	Unlimited
Transmission Drive Axle Drive Shaft Front Axle I Beam	3	Unlimited
Frame Rails	3 5*	Unlimited*
Engine Emissions Control System - Federal	5	160,000
Tires	2	38,400
Corrosion (Rust Through)	5	Unlimited

*After 3 years/unlimited kilometers, coverage is 50% labor and parts for up to 5 years. See your authorized Isuzu dealer for warranty details.

QUALITY PROGRAMS

What do Isuzu trucks have that others don't? It's not just multiple wheelbases, chrome grilles and the latest bells and whistles. It's more than that. The best low cab forward truck is backed by our unrivaled product and customer support, a best-in-class warranty, and a low cost of ownership. It's the intangibles and so much more. Our customers' loyalty is due to our quality product and the support we back it with.



Isuzu diesel trucks are equipped with a Data Recording Module (DRM) that tracks your truck's performance in key areas like fuel economy, engine and emission conditions, and braking conditions, just to name a few. Your dealer can run a Vehicle Health Report on your truck to help you monitor how it is being driven, identify potential repairs, and help protect your investment while maximizing your uptime.



Your truck's maintenance is vital to keeping it on the road and performing its best. That is why every new Isuzu diesel truck comes with a complimentary oil coverage plan. It is more than just an oil and filter change every 16,000 kilometers or 300 engine hours. This maintenance plan covers lubricating the chassis, checking your tire pressures and running a Vehicle Health Report. This plan covers your truck for four years or 200,000 kilometers, whichever comes first.



Preventive maintenance increases your operating efficiency and maximizes your fuel economy. This comprehensive program protects you against increasing labor and parts costs for three to six years. PSMP also guarantees you "Priority" treatment during your service visits and when roadside assistance is needed. And, any unused portion of your PSMP can be rolled into your next purchase, transferred to the next owner, or refunded to you.



Protecting your investment beyond the standard warranty assures you a high level of protection against costly repairs. This limited warranty covers you for up to five years or 280,000 kilometers (400,000 kilometers also available), whichever comes first, extends Roadside Assistance for duration of the warranty, and doubles the mileage of the after-treatment system. See your local authorized Isuzu dealer for further warranty details.



Call 866.441.9659 – 24/7/365 – It is as simple as that when you're in need. Roadside Assistance is standard for the first three years (unlimited kilometers) on Isuzu diesel trucks. It covers tows, jump starts, lock outs, and fueling (owner is responsible for cost of fuel).



Specifically-designed replacement parts developed for Isuzu trucks are approved for all warranty repairs and carry a one-year unlimited kilometer warranty. See your Isuzu dealer for warranty details.



Isuzu FleetValue Parts are designed to provide a low cost of ownership, safe operation of your truck, and superior quality. We ensure that FleetValue Parts meet OEM standards and back them with a one-year unlimited kilometer warranty. See your Isuzu dealer for warranty details.